
VINAWOOD

#1 PLYWOOD SUPPLIER IN VIETNAM

PRODUCT E-CATALOG



Sales Office: +84-83333-2333
Email: plywood@vinawoodltd.com



COMMERCIAL PLYWOOD

Commercial Plywood is a plywood with veneer face/back made for different purposes such as packing, furniture, and flooring etc.

Sales Office: +84-83333-2333
Email: plywood@vinawoodltd.com



CONSPLY COMMERCIAL PLYWOOD

SKU: CP0400

ConsPly is a type of commercial plywood that uses WBP Melamine Class 2 glue to serve affordable formwork concrete-pouring purposes.

Sizes	Dimensions (mm)	1220×2440 mm
	Thickness (mm)	11 | 11.5 | 12
Materials	Face	Bintangor A | Local A
	Back	Bintangor B | Local B
	Face Color	Natural Wood Color
	Wood Species	Mixed Hardwood
	Core Grade	Mixed Grade
	Glue Type	WBP Melamine Economy
Application	Application	Formwork
	Formaldehyde Emissions	E2
Technical Performance	Width & Length Tolerances (mm)	1.0 per meter
	Moisture Content (%)	12
	Density (kg/m3)	500

Sales Office: +84-83333-2333
Email: plywood@vinawoodltd.com



FPLY BIRCH PLYWOOD

SKU: CP0300

FPly Birch is a plywood panel that is made to look like Russian Birch Plywood from the outside, but rather utilizes tropical hardwood in the core for competitive pricing and lead time.

Sizes	Dimensions (mm)	1220×2440 mm
	Thickness (mm)	12 | 15 | 18 | 21
Materials	Face	Birch
	Back	Birch
	Face Color	Natural Wood Color
	Wood Species	Mixed Hardwood
	Core Grade	Fully-composed AA Grade
	Glue Type	MR Top
Application	Application	Furniture
	Formaldehyde Emissions	Carb P2
Technical Performance	Width & Length Tolerances (mm)	1.0 per meter
	Moisture Content (%)	12
	Density (kg/m3)	605

Sales Office: +84-83333-2333
Email: plywood@vinawoodltd.com



PACKPLY EXTRA COMMERCIAL PLYWOOD

SKU: CP0200

PackPly Extra is two-time hotpress packing plywood with Bintangor or Okume face back. PackPly Extra has stable moisture content and tolerance to serve strict requirements for shipping crate or box making.

Sizes	Dimensions (mm)	1220×2440 mm
	Thickness (mm)	11 | 11.5 | 3 | 5 | 6 | 7 | 8 | 12 | 15 | 18 | 21 | 9
Materials	Face	Bintangor A | Bintangor B | Local A | Local B | Okume A | Okume B
	Back	Bintangor A | Bintangor B | Local A | Local B | Local C | Okume A | Okume B
	Face Color	Natural Wood Color
	Wood Species	Mixed Tropical Wood
	Core Grade	Mixed Grade
	Glue Type	MR Standard
Application	Application	Packing | Padding
	Formaldehyde Emissions	E1 | E2
Technical Performance	Width & Length Tolerances (mm)	1.0 per meter
	Moisture Content (%)	15
	Density (kg/m3)	400

Sales Office: +84-83333-2333
Email: plywood@vinawoodltd.com



PACKPLY COMMERCIAL PLYWOOD

SKU: CP0100

PackPly is the most affordable plywood with one time hot-press for most economical purpose.

Sizes	Dimensions (mm)	1220×2440 mm
	Thickness (mm)	11 | 11.5 | 3 | 5 | 6 | 7 | 8 | 12 | 15 | 18 | 21 | 9
Materials	Face	Bintangor A | Bintangor B | Local A | Local B | Okume A | Okume B
	Back	Bintangor A | Bintangor B | Local A | Local B | Local C | Okume A | Okume B
	Face Color	Natural Wood Color
	Wood Species	Mixed Tropical Wood
	Core Grade	Mixed Grade
	Glue Type	MR Eco
Application	Application	Packing
	Formaldehyde Emissions	E2
Technical Performance	Width & Length Tolerances (mm)	1.0 per meter
	Moisture Content (%)	15
	Density (kg/m3)	400

Sales Office: +84-83333-2333
Email: plywood@vinawoodltd.com

VINAWOOD

#1 PLYWOOD SUPPLIER IN VIETNAM

PRODUCT E-CATALOG

PRODUCTION PROCESS

01 VENEER DRYING
Veneer drying improves bonding quality and guarantees stable supply

02 PANEL LAY-UP
Veneer is glue-spread and laid up across grain to gain best strength

03 COLD PRESS
Cold press shapes plywood for ease of processing

04 HOT PRESS
Hot press cures WBP glue of plywood

05 SANDING & TRIMMING
After being sanded, plywood is trimmed into desired dimensions

06 FILMING
Plywood surface is coated with two phenolic layers to resist heat and liquid

07 EDGE TREATMENT
Plywood is quality marked and painted with waterproof paint

08 SHIPMENT
Products are packed with seaworthy packaging and ready to be shipped

U.S.A. and Canada
Tel: +84-83-333-2337
na@vinawoodltd.com

Middle East & Africa
Tel: +84-83-333-2333
mea@vinawoodltd.com

Asia Pacific & All Others
Tel: +84-83-333-2333
ap@vinawoodltd.com

Quality Assurance
Tel: +84-83-333-2333
iaa@vinawoodltd.com